



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date : August 10, 2005

Patent No. : 6,917,206

Inventor(s) : Rains et al.

Issued : July 12, 2005

For : MULTIPLE FREQUENCY GRAIN MOISTURE SENSOR FOR COMBINES

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) in column 14, after inspection of the application, it is revealed that the line is correctly numbered, and is printed in accordance with the record. The record continues to reflect consistency, as claim 8 (previously claim 29) refers to claim 6 (previously claim 17); the examiner correctly and appropriately re-numbered the claims and their dependency. Accordingly, respecting the alleged error in the numbering of the claims, inspection of the patent application reveals that the numbering of the claims in the printed patent is in accordance with the renumbering of dependent claims by the examiner as described in M.P.E.P. 608.01(n). Therefore, no correction is in order here under the provisions of Rule 1.322 or 1.323.

In view of the foregoing, your request is hereby denied.

Note: If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving/supporting documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request - then, the appropriate fee of \$100.00 with your "Certificate of Correction" or "Reconsideration Certificate of Correction" - will be necessary. Without supporting documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that "identification of the exact point of error by reference to column and line number of the printed patent" provides clarity for processing a request. Please see the MPEP for further instruction and understanding. This is a general hint, which may decrease the processing time of your request.

Stacy Powell, Sr.
For Cecelia B. Newman, Supervisor
Decisions & Certificates of
Correction Branch
(703) 308-9390 or (703) 305-8309

Timothy J. Zarley, Zarley Law Firm, PLLC
Capital Square, 400 Locust St., Suite 200
Des Moines, Iowa 50309-2350

CBN/spsr